


CURV TECHNICAL DATA SHEET

Curv Style No	7821001060010	Last Change	24.04.12			
Material	318,0g schwarz 1360x0,35mm					
Colour	schwarz					
Thickness	0,35	mm	Weight	319	g/m ²	
Layer	3	No	Density	0,91	g/m ³	
Properties		Standard	Avg	Min	Max	Unit
Diagonal Elongation		DIN EN ISO 527	12,5	6,5	18,5	%
Tensile Strength	MD	DIN EN ISO 527	140	120		MPa
	CD		140	120		MPa
Elongation	MD	DIN EN ISO 527	17	12	22	%
	CD		17	12	22	%
E-Module	MD	DIN EN ISO 527	3,0			GPa
	CD		3,0			GPa
Impact Resistance		ISO 6603-3	8	6,5		kJ
Deformation						mm
MD Machine Direction - CD Cross Machine Direction						
<div style="display: flex; align-items: center;">  <div> <p style="font-size: small;">Exclusion of Liability</p> <p style="font-size: x-small;">Information contained in this publication is accurate to the best of the knowledge of PROPEX FABRICS. Any information or advice obtained from PROPEX FABRICS otherwise than by means of this publication and whether relating to PROPEX FABRICS materials or other materials, is also given in good faith. However, it remains at all times, the responsibility of the customer to ensure that PROPEX FABRICS materials are suitable for the particular purpose intended. Insofar as materials not manufactured or supplied by PROPEX FABRICS are used in conjunction with or instead of PROPEX FABRICS materials, the customer should ensure that he has received from the manufacturer or supplier all the technical data and other information relating to such materials. PROPEX FABRICS accepts no liability whatsoever (except as otherwise expressly provided by law) arising out of the use of information supplied, the application or processing of the products described herein, the use of other materials in lieu of PROPEX FABRICS materials in conjunction with such other materials.</p> </div> </div>						
Dueppelstraße 16 D-48599 Gronau Telephone +49-2562 77 465 Telefax +49-2562 77 467				E-mail: Info@Curvonline.com Website: www.curvonline.com		